

$D - D^3 D^3 D^3 \gg \tilde{N} C E D^{1/2} D^0$ $D_{\zeta} D \gg D^{3/4} \tilde{N} \% D^0$ $D \gg D^0 D \cdot D^{1/2} \tilde{N} - - 70,1 D^{1/4}^2$. $D \ddot{Y} D \gg D^{3/4} \tilde{N} \% D^0$ $1 - D^3 D^{3/4}$
 $D_{\zeta} D^{3/4} D^2 D_{\mu} \tilde{N} \in \tilde{N} \dots \tilde{N} f - 33,72 D^{1/4}^2$. $D \ddot{Y} D \gg D^{3/4} \tilde{N} \% D^0$ $D^{1/4} D^0 D^{1/2} \tilde{N} \cdot D^0 \tilde{N} \in D^1 D$, $- 36,36 D^{1/4}^2$. $D D^{3/4} D \cdot D^{1/4} \tilde{N} - \tilde{N} \in D$,
 $D_{\zeta} D^{3/4} D^{3/4} \tilde{N} \cdot \tilde{N} \cdot D^{1/4} 6,7 D^{1/4} \times 6,7 D^{1/4}$. [[D'' D_{\mu} \tilde{N}, D^0 D \gg \tilde{N} C E D^{1/2} \tilde{N} - \tilde{N}^{\wedge} D_{\mu} \dots](#)]

- « $D \cdot D^0 D_{\zeta} D^{3/4} \tilde{N} \ddagger D^0 \tilde{N}, D^{3/4} D^0$
- « $D \ddot{Y} D^{3/4} D_{\zeta} D_{\mu} \tilde{N} \in D_{\mu} D^1 D^{1/2} \tilde{N} \cdot$
- 1
- 2
- [D \cdot D^0 \tilde{N} \cdot \tilde{N}, \tilde{N} f D_{\zeta} D^{1/2} D^0 \gg](#)
- [D^1 D^0 \tilde{N} - D^{1/2} D_{\mu} \tilde{N} \ddagger \tilde{N} C E \gg \gg](#)

$D D_{\mu} D \cdot \tilde{N} f D \gg \tilde{N} C E \tilde{N}, D^0 \tilde{N}, D$, 1 - 20 D \cdot 31